

MODULE III

FASHION DESIGN LEVEL 5 & 6

FAS/CU/FD/CR/02/3/MA

Produce Ladies' Wear

January – March 2026



TVET CURRICULUM DEVELOPMENT, ASSESSMENT AND CERTIFICATION COUNCIL (TVET CDACC)

PRACTICAL ASSESSMENT

INSTRUCTIONS TO CANDIDATE:

1. This unit of competence shall be assessed in three phases.
2. Each assessment session has the duration included in brackets.
3. The third phase of the assessment shall include a practical session and an oral assessment session.
4. The assessor will take photos and videos as you perform the tasks at critical points during the assessment.
5. Ensure all the required resources for the assessment have been provided before beginning the assessment.
6. For the practical session, you'll be provided with a **pre-designed sketch** and you have to **draft free hand ladies' garment basic block patterns**.

PRACTICAL ASSESSMENT SESSION 1 (6 HOURS) DEVELOP FREE HAND PATTERN PIECES, LAY, CUT, CONSTRUCT AND FINISH THE LADIES BLOUSE SKETCHED

Elements Covered

1. Produce Styled Blouse.

Tasks


1. Use Personal protective equipment
2. Gather required tools, equipment and supplies
3. Check functionality of the sewing machine before operating it
4. Develop the patterns for the styled blouse
5. Using the patterns drafted, lay, cut and transfer pattern marks for the styled blouse pieces.
6. Stitch the garment pieces as per illustrated garment design and standard operating procedures and note the following;
 - Use plain open seams at the side seams.
 - Use plain closed seam at the back yoke
 - Attach frills at the armhole and back yoke
7. Finish and package the trouser in the A4 envelope provided.

MEASUREMENT	CENTIMETRES
Waist	71 cm
Hips	98 cm
Waist to hip.	20.6 cm
Frill length (armhole)	8 cm
Full length	66 cm
Bust	86 cm
Shoulder	41 cm

SKETCH

FRONT

BACK



1. PRACTICAL ASSESSMENT SECTION 2: CONSTRUCT A LADIES' DRESS

Elements Covered:

1. Lay and cut garment pieces of the design provided
2. Construct the dress design provided

As a fashion designer, you are tasked with preparing for the construction of a simple skirt. You have been provided with a sketch and the necessary basic block patterns

Tasks:

1. Observe safety.
2. Using basic block provided, develop freehand pattern pieces for the skirt as per the sketch
3. Lay the drafted garment pattern pieces accurately on the given fabric, considering fabric grain and layout principles
4. Cut the garment pieces precisely according to the laid patterns and transfer all necessary pattern markings to the cut garment pieces.
5. Construct the skirt by stitching the garment pieces according to the provided garment sketch and instructions given below
 - i. Use the French seam on the side seam and underarm seam
 - ii. Use the plain closed seams on the panel and shoulder seams
 - iii. Hand Stitch one buttonhole and fix a button
 - iv. Finish the front opening using a facing
6. Finish the dress and sleeve using slip hemming

FRONT

BACK



Measurements required

Bust= 80cm

Waist=60cm

Hips=85cm

Nape To Waist= 39cm

Shoulder=11.75cm

Armhole Depth= 20cm

Dress Length=94cm

Sleeve Length= 43cm

Sleeve round=24cm

2. PRACTICAL ASSESSMENT 3: CONSTRUCT A LADIES' JACKET (6 HOURS)

Elements Covered

1. Develop freehand blazer pattern pieces.
2. Lay and cut blazer garment pieces.
3. Construct selected basic blazer.

As a fashion designer, you are tasked with preparing for the construction of a simple skirt. You have been provided with a sketch and the necessary basic block patterns

Tasks:

1. Observe safety.
2. Using basic block provided, develop freehand pattern pieces for the skirt as per the sketch
3. Lay the drafted garment pattern pieces accurately on the given fabric, considering fabric grain and layout principles
4. Cut the garment pieces precisely according to the laid patterns and transfer all necessary pattern markings to the cut garment pieces.
5. Construct the skirt by stitching the garment pieces according to the provided garment sketch and instructions given below
 - i. Use plain closed seams on panel and shoulder seams
 - ii. Finish the front opening using a facing
 - iii. Regularly press seams and garment sections during construction for professional finish
 - iv. Hand stitch one buttonhole and fix a button
6. Finish the constructed garment by Machine hemming the skirt

FRONT VIEW

BACK VIEW



Measurements required

Bust= 82cm

Waist=60cm

Nape to waist= 39cm

Shoulder=11.75cm

Neck size= 35

Armhole depth= 20cm

Jacket length=61cm

Sleeve length= 20cm

Round arm= 30cm